





called at
access rights management → *users* → *privileges*



called at
access rights management → *share folder* → *privileges*



When activated *Recursive* is always deactivated after clicking on [store] and [apply]

Home | Services | SMB/CIFS

Settings | Shares

Save | Reset

General settings

Enable

Workgroup
The workgroup the server will appear to be in when queried by clients.

Description
The NT description field.

Local master browser Allow this server to try and become a local master browser

Time server Allow this server to advertise itself as a time server to Windows clients

Home directories

Enable Enable user home directories

Browseable Set browseable
This controls whether this share is seen in the list of available shares in a net view and in the browse list.

WINS

WINS support Enable WINS server
Act as a WINS server.

WINS server
Use the specified WINS server.

Advanced settings

Log level

Null passwords Allow client access to accounts that have null passwords

Use sendfile Use the more efficient sendfile system call for files that are exclusively oplocked
This may make more efficient use of the system CPU's and cause Samba to be faster. Samba automatically turns this

Asynchronous I/O Enable asynchronous I/O (AIO) support.

Extra options

Please check the [manual page](#) for more details.

Enabled	Shared folder ↑	Comment	Public	Read only	Browseable
<input checked="" type="checkbox"/>	bana_nas		Only guests	No	Yes

Services
SMB/CIFS

Settings
Shares

+ Add
Edit
Delete

Enabled	Shared folder ↑	Comment	Public	Read only	Browseable
<input checked="" type="checkbox"/>	bana_nas		Only guests	No	Yes

Edit share
✕

Enable

Shared folder bana_nas [on banaHOME, bana_nas/brv]

Comment

Public Only guests

Read only Set read only

Browseable Set browseable

Inherit ACLs Honor existing ACLs

Inherit permissions Enable permission inheritance

Recycle bin Enable recycle bin

Hide dot files This parameter controls whether files starting with a dot appear as hidden files

Extended attributes Enable extended attribute support

Store DOS attributes Enable store DOS attributes support

The location of the files to share.

This is a text field that is seen next to a share when a client queries the server.

If 'Guests allowed' is selected and no login credential is provided, then access as guest. Always access as guest when 'Only guests' is selecting; in this case no password is required to connect to the share.

If this parameter is set, then users may not create or modify files in the share.

This controls whether this share is seen in the list of available shares in a net view and in the browse list.

This parameter can be used to ensure that if default acs exist on parent directories, they are always honored when creating a new file or subdirectory in these parent directories.

The permissions on new files and directories are normally governed by create mask and directory mask but the inherit permissions parameter overrides this. This can be particularly useful on systems with many users to allow a single share to be used flexibly by each user.

This will create a recycle bin on the share.


Files that are larger than the specified number of bytes will not be put into the recycle bin. Set to 0 for unrestricted file size.

Files in the recycle bin will be deleted automatically after the specified number of days. Set to 0 for manual deletion.

Empty now

Save
Reset
Cancel

The lower entry fields are empty



Windows Explorer